ASR
pISSN 2635-5019 / eISSN 2635-5027 / Audiol Speech Res 2022;18(4):266 / https://doi.org/10.21848/asr.220055.e1
ERRATUM: Correction of Figure Legend

Changes in Speech Recognition Scores and Sound Quality According to Gain Adjustment in High Frequency Bands

Hyeryeong Jo[1,2], Mikyung Lee[3], Jihun Kim[4], Eunchul Choi[5], Hyungoo Lee[6], Kyoungwon Lee[1,2]

[1]Department of Audiology and Speech-Language Pathology, Hallym University of Graduate Studies, Seoul, Korea
[2]HUGS Center for Hearing and Speech Research, Seoul, Korea
[3]Phonak Mapo Hearing Aid Center, Seoul, Korea
[4]Phonak Masan Hearing Aid Center, Changwon, Korea
[5]Phonak Sejong Hearing Aid Center, Sejong, Korea
[6]Widex Seocho Hearing Aid Center, Seoul, Korea

The original version of this article entitled "Changes in Speech Recognition Scores and Sound Quality According to Gain Adjustment in High Frequency Bands by Hyeryeong Jo et al. (Audiol Speech Res 2022;18(2):73-82)" contained an error in the Figure 6 legend.

The original legend

Figure 6. Results of K-PHAB-Q pre and post the high frequency gain adjustment. Bar means standard deviation. *$p < 0.05$. **$p < 0.01$. K-PHAB-Q: Korean version of profile of hearing aid benefit-quick version.

The corrected legend

Figure 6. Results of sound qualities pre and post the high frequency gain adjustment. Bar means standard deviation. *$p < 0.05$. **$p < 0.01$.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (https://creativecommons.org/licenses/by-nc/4.0) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

 Copyright © 2022 Korean Academy of Audiology